

Electrolux LFV439K Veggmonterbar Svart 465 m³/t

Merke : Electrolux

Produktkode: 942 051 438

Produktnavn : LFV439K

Electrolux LFV439K. Maksimal utvinningskraft: 465 m³/t, Type utvinning: Ducted/Resirkulerende, Fluid dynamisk effektivitet klasse: D. Modell/Type: Veggmonterbar, Produktfarge: Svart, Fargenavn: Nero. Type fettfilter: Aluminium, Antall filtre: 2 stykker. Antall pærer: 2 ampuller, Lyspæretype: LED, Fargetemperatur: 3000 K. Energieffektivitetsklasse: C, Årlig energiforbruk: 105,3 kWh, Energieffektivitetsskala: A+++ til D



Ytelse		Design	
Maksimal utvinningskraft *	465 m ³ /t	Diameter på avtrekkstilkobling	15 cm
Type utvinning *	Ducted/Resirkulerende	Antall motorer	1
Fluid dynamisk effektivitet klasse *	D	Filter	
Belysning effektivitets klasse *	A	Type fettfilter *	Aluminium
Fettfiltrering effektivitetsklasse *	F	Antall filtre	2 stykker
Maksimum resirkulasjonskraft	275 m ³ /t	Filterrengjøringsindikator	✓
Boost-posisjon luftavtrekkskraft	615 m ³ /t	Lighting	
Boost-posisjon utgang resirkulerende effekt	310 m ³ /t	Antall pærer	2 ampuller
Antall hastighetsnivåer *	3	Lyspæretype	LED
Intensiv hastighet	✓	Fargetemperatur	3000 K
Støynivå *	62 dB	Belysningseffektivitet (LE)	38,93 lux/W
Støynivå (lav hastighet)	51 dB	Energihåndtering	
Støynivå (medium hastighet)	62 dB	Energieffektivitetsklasse *	C
Støynivå (høy hastighet)	67 dB	Energieffektivitetsskala	A+++ til D
Støynivå (intensiv hastighet)	67 dB	Motoreffekt	210 W
Støynivå (resirkulasjonsmodus)	71 dB	Strømførbbruk, av	0,49 W
Trykk (T)	440	Årlig energiforbruk *	105,3 kWh
Luftstrøm (lav hastighet)	290 m ³ /t	AC-inngangsspenning	220-240 V
Minimum avstand fra elektrisk-komfyr	50 cm	AC-inngangsfrekvens	50 Hz
Minimum avstand fra gas-komfyr	54 cm	Vekt og dimensjoner	
Design		Bredde *	898 mm
Modell/Type *	Veggmonterbar	Dybde	396 mm
Produktfarge *	Svart	Høyde	953 mm
Fargenavn	Nero	Høyde (max)	95,3 cm
Hob?Hood-funksjon	✓	Høyde uten pipe	34 cm
Brisfunksjon	✗	Vekt	12,2 kg
Kontrolltype	Berøringskontroll		

Design		Datainnpakking	
Kabellengde	1 m	Pakkebredde	1000 mm
Innebygd skjerm *	×	Pakkedybde	430 mm
		Pakkehøyde	710 mm
		Pakkevekt	19,3 kg
Andre funksjoner			
Filter		MCFB87 ECFB79PL	
Målt lufttrykk ved beste effektpunkt		315 Pa	
Fettfiltreringseffektivitet (GFE)		45,1%	
Fluiddynamisk effektivitet (FDE)		16,6	
Opprinnelsesland		Italia	



7332543825493

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.