



TP-Link Archer AX23 trådløs ruter Gigabit Ethernet Dobbelbånd (2.4 GHz / 5 GHz) Svart

Merke : TP-Link

Product family: Archer

Produktkode: ARCHER AX23

Produktnavn : Archer AX23



TP-Link Archer AX23. WAN tilkoblingstype: RJ-45. Wi-Fi-bånd: Dobbelbånd (2.4 GHz / 5 GHz), Beste Wi-Fi-standard: Wi-Fi 6 (802.11ax), WLAN data overførings rate (max): 1800 Mbit/s. Ethernet LAN-grensesnitttype: Gigabit Ethernet, Ethernet LAN dataoverføringshastigheter: 10,100,1000 Mbit/s, Nettverksstandard: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Sikkerhetsalgoritmer: 64-bit WEP, 128-bit WEP, WMM, WPA, WPA-PSK, WPA2, WPA2-PSK, NAT-funksjonalitet: Port Forwarding, Port Triggering, UPnP, DMZ. Produkttype: Frittstående ruter, Produktfarge: Svart



WAN forbindelse		Sikkerhet	
Ethernet WAN *	✓	Network Address Translation (NAT)	✓
SIM-kortspor *	✗	NAT-funksjonalitet	Port Forwarding, Port Triggering, UPnP, DMZ
WAN tilkoblingstype	RJ-45		
Trådløse internett-funksjoner		Protokoller	
Wi-Fi-bånd *	Dobbelbånd (2.4 GHz / 5 GHz)	DHCP-klient	✓
Beste Wi-Fi-standard *	Wi-Fi 6 (802.11ax)	DHCP-server	✓
WLAN data overførings rate (max) *	1800 Mbit/s	Universal Plug and Play (UPnP)	✓
Wi-Fi-standarder	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Design	
WLAN dataoverføringshastighet (første band)	574 Mbit/s	Produktfarge	Svart
WLAN dataoverføringshastighet (andre band)	1201 Mbit/s	Produkttype *	Frittstående ruter
Modulator	OFDMA	Sertifikater	
Nettverksbygging		Sertifisering	FCC, CE, RoHS
Ethernet/bredbåndsforbindelse *	✓	Emballasjeinnhold	
Ethernet LAN-grensesnitttype *	Gigabit Ethernet	Kabler inkludert	LAN (RJ-45)
Ethernet LAN dataoverføringshastigheter	10,100,1000 Mbit/s	AC-adapter bunt	✓
Nettverksstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Garantikort	✓
Full tosidig	✓	Guide for hurtiginstallering	✓
Strømningskontroll støtte	✓	Antenne	
Portvideresending	✓	Antennedesign *	Utvendig
Dynamisk DNS (DDNS)	✓	Antennetilkoblingstype	SMA
Statisk ruting	✓	Egenskaper	
Antall gjestenettverk (2.4 GHz)	1	Innebygd prosessor	✓
		Prosesorfrekvens	1500 MHz
		Prosesorkjerner	2

Nettverksbygging		Energihåndtering	
Antall gjestenettverk (5 GHz)	1	Strømkildetype *	DC
VPN-server	OpenVPN, PPTP	Utgangsstrøm	12 V
Tilkoblingsevne		Utgangsstrøm	1 A
Antall ethernet- /bredbåndstilkoblinger (RJ-45) *	4	Miljømessige forhold	
DC-inngangskontakt	✓	Driftstemperatur (T-T)	0 - 40 °C
Styringsfunksjoner		Relativ luftfuktighet under drift (H-H)	10 - 90%
Webbasert administrasjon	✓	Systemkrav	
Web-basert oppsettsveiviser	✓	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Båndbreddekontroll	✓	Støttede Windows operativsystemer	
Tilbakestillingsknapp	✓	Støttede Linux operativsystemer	
WPS-trykknapp	✓	Støttede Mac operativsystemer	
Sikkerhet		Vekt og dimensjoner	
Sikkerhetsalgoritmer	64-bit WEP, 128-bit WEP, WMM, WPA, WPA-PSK, WPA2, WPA2-PSK	Bredde	260,2 mm
Brannmur	✓	Dybde	135 mm
Gjeste-inngang	✓	Høyde	41,6 mm
Access Control List (ACL)/tilgangskontrolliste	✓	Datainnpakking	
IP-adressefiltrering	✓	Pakkebredde	500 mm
URL-filtrering	✓	Pakkedybde	350 mm
Systemhendelseslogg	✓	Pakkehøyde	395 mm
DMZ støttes	✓	Pakkevekt	730 g
		Logistikk data	
		Export Control Classification Number (ECCN)	5A992
		Harmonisert system (HS)-kode	8517,62



4897098687048



4897098683927



0840030707049



840030707049

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.