

D-Link DGS-108 Ohanterad L2 Gigabit Ethernet (10/100/1000) Svart



Märke : D-Link

Produktkod: DGS-108/E

Product name : DGS-108

D-Link DGS-108. Switch typ: Ohanterad, Switch-lager: L2. Typ av grundläggande RJ-45 Ethernet-portar: Gigabit Ethernet (10/100/1000), Antal grundläggande RJ-45 Ethernet-portar: 8. Full duplex. Adresstabelstorlek: 4000 poster, Switch kapacitet: 16 Gbit/s. Kommunikationsstandarder: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Strömanslutning: DC-in-uttag

Management features		Strömtillförsel	
Switch typ *	Ohanterad	Strömkälla *	DC
Switch-lager	L2	Ingående ström	1 A
Stöd för garanterad tjänstekvalitet (QoS)	✓	Spänning	5 V
		Strömförbrukning (vanlig)	2,8 W
Anslutningar		Miljökrav	
Antal grundläggande RJ-45 Ethernet-portar *	8	Temperatur vid drift	0 - 50 ° C
Typ av grundläggande RJ-45 Ethernet-portar *	Gigabit Ethernet (10/100/1000)	Temperaturintervall (förvaring)	-10 - 70 ° C
Strömanslutning	DC-in-uttag	Intervall för relativ operativ luftfuktighet	10 - 90%
		Fuktighet (förvaring)	5 - 90%
Nätverk		Vikt & dimension	
Kommunikationsstandarder *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Bredd	138,7 mm
10G stöd *	✓	Djup	85 mm
Koppar Ethernet-kablar teknik	1000BASE-T, 100BASE-TX, 10BASE-T	Höjd	22,4 mm
Full duplex	✓	Vikt	270 g
Flödeskontroll	✓	Tekniska detaljer	
Auto MDI / MDI-X	✓	Fraktkartongens höjd	44,3 cm
Automatisk avkänning	✓	Fraktkartongens bredd	26 cm
Stöd för automatisk inläring av MAC-adresser	✓	Fraktkartongens längd	37 cm
		Fraktkartongens nettovikt	7,1 kg
Data transmission		Antal produkter per innerförpackning	10 styck
Tillgängliga dataöverföringshastigheter	10/100/1000 Mbps	Lastpallens bruttovikt (lufttransport)	398,9 kg
Switch kapacitet *	16 Gbit/s	Ytterförpackningar per lastpall (lufttransport)	48 styck
Adresstabelstorlek *	4000 poster	Kvantitet per lastpall (lufttransport)	480 styck
Lagra-och-vidarebefordra	✓	Lastpallens totallängd	110 cm
Jumbo Frames stöd	✓	Lastpallens totalbredd	120 cm
Paketförmedlingshastighet (1 Gbps)	1488000 pps	Lastpallshöjd (lufttransport)	196,7 cm
Paketförmedlingshastighet (100 Mbps)	148800 pps	Lastpallens bruttovikt (sjötransport)	398,9 kg
Paketförmedlingshastighet (10 Mbps)	14880 pps	Ytterförpackningar per lastpall (sjötransport)	48 styck
Paketbuffertminne	0,192 MB	Produkter per lastpall (sjötransport)	480 styck
Bevakning		Lastpallshöjd (sjötransport)	196,7 cm
IGMP-snooping	✓	Innerförpackningens bruttovikt	7,79 kg
MAC-adressfiltrering	✓	Certifikat	
		Certifiering	FCC Class B, ICES-003 Class B, CE Class B, C-Tick Class B, VCCI Class B, cUL, CB, RoHS

Multicast-funktioner		Logistikdata	
Multicast-stöd	✓	Harmonized System (HS)-kod	85176990
Design			
Rackmontering *	✗		
Produktens färg	Svart		
Material, hölje	Metall		
LED-indikatorer	Länk, Energiljus		
Prestanda			
Medeltid mellan fel (MTBF)	1467882 h		



0790069368240



790069368240

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.